


CABLE DRUMS

Cable drums are an element of the sectional gate lifting system. The method of winding the cable depends on the technical solution in a given gate.

HIGH LIFT

The company Komponenty Do Bram offers a wide range of products, including HL guide drums for gates and guides for gates with a rise, which are excellent solutions for the most demanding industrial applications. We offer high-class replacements for original products, combining quality with reliability. Our solutions are designed with a variety of projects in mind, which makes them invaluable in the industrial sector. Precise workmanship is a guarantee that the available goods meet the highest safety standards, while ensuring smooth and efficient operation.



CABLE DRUM M162-4165 HL

ARTICLE: 10040

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 728 kg

Max cable diameter: 6 mm


Shaft diameter : 25,4mm (1 inch)

Maks. HL: 4190mm at 1/2 safety winding (2900mm at 2 safety windings)

Offset: 152mm

Factory price: 0.00 € excl. VAT / piece

Weight: 6.8 kg **Shipping class:** Standard



CABLE DRUM M162-4165 HL LEFT

ARTICLE: 18266

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 728 kg

Max cable diameter: 6 mm

Shaft diameter : 25,4mm (1 inch)


Maks. HL: 4190mm at 1/2 safety winding (2900mm at 2 safety windings)

Offset: 152mm

Factory price: 0.00 € excl. VAT / piece

Weight: 3.27 kg **Shipping class:** Standard

Tag: [beben do bramy](#)



CABLE DRUM M162-4165 HL RIGHT

ARTICLE: 18267

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 728 kg

Max cable diameter: 6 mm

Shaft diameter : 25,4mm (1 inch)


Maks. HL: 4190mm at 1/2 safety winding (2900mm at 2 safety windings)

Offset: 152mm

Factory price: 0.00 € excl. VAT / piece

Weight: 3.27 kg **Shipping class:** Standard

Tag: [bęben do bramy](#)



CABLE DRUM M102-1375 HL

ARTICLE: 10050

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 250 kg

Max cable diameter: 4 mm

Shaft diameter : 25,4mm (1 inch)


Maks. HL:1375mm at 1/2 safety winding (740mm at 2 safety windings)

Offset: 86mm

Factory price: 13.76 € excl. VAT / piece

Weight: 1.08 kg **Shipping class:** Standard

Tag: [bęben do bramy przemysłowej](#)



CABLE DRUM M102-1375 HL LEFT

ARTICLE: 95456

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 250 kg

Max cable diameter: 4 mm

Shaft diameter : 25,4mm (1 inch)


Maks. HL:1375mm at 1/2 safety winding (740mm at 2 safety windings)

Offset: 86mm

Factory price: 13.76 € excl. VAT / piece

Weight: 0.49 kg **Shipping class:** Standard

Tag: [bęben do bramy przemysłowej](#)




CABLE DRUM M102-1375 HL RIGHT

ARTICLE: 95458

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 250 kg
Max cable diameter: 4 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:1375mm at 1/2 safety winding (740mm at 2 safety windings)
Offset: 86mm

Factory price: 13.76 € excl. VAT / piece
Weight: 0.49 kg **Shipping class:** Standard
Tag: [bęben do bramy](#)




CABLE DRUM M134-1375 HL

ARTICLE: 10060

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:1380mm at 1/2 safety winding (570mm at 2 safety windings)
Offset: 111mm

Factory price: 27.41 € excl. VAT / piece
Weight: 2.1 kg **Shipping class:** Standard
Tag: [bęben do bramy przemysłowej](#)




CABLE DRUM M134-1375 HL LEFT

ARTICLE: 03945

Cable drum for industrial door with high lift LEFT
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:1380mm at 1/2 safety winding (570mm at 2 safety windings)
Offset: 111mm

Factory price: 11.50 € excl. VAT / piece
Weight: 0.822 kg **Shipping class:** Standard




CABLE DRUM M134-1375 HL RIGHT

ARTICLE: 03950

Cable drum for industrial door with high lift RIGHT
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:1380mm at 1/2 safety winding (570mm at 2 safety windings)
Offset: 111mm

Factory price: 11.50 € excl. VAT / piece
Weight: 0.822 kg **Shipping class:** Standard




CABLE DRUM M146-3050 HL

ARTICLE: 10070

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:2997mm at 1/2 safety winding (1960mm at 2 safety windings)
Offset: 152mm

Factory price: 33.70 € excl. VAT / piece
Weight: 2.62 kg **Shipping class:** Standard
Tag: [bęben do bramy](#)




CABLE DRUM M146-3050 HL LEFT

ARTICLE: 18282

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:2997mm at 1/2 safety winding (1960mm at 2 safety windings)
Offset: 152mm

Factory price: 33.70 € excl. VAT / piece
Weight: 1.15 kg **Shipping class:** Standard
Tag: [bęben do bramy](#)



CABLE DRUM M146-3050 HL RIGHT

ARTICLE: 18284

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:2997mm at 1/2 safety winding (1960mm at 2 safety windings)
Offset: 152mm

Factory price: 33.70 € excl. VAT / piece
Weight: 1.15 kg **Shipping class:** Standard
Tag: [bęben do bramy](#)




CABLE DRUM M203-3050 HL

ARTICLE: 10080

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 1000 kg
Max cable diameter: 6 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:3028mm at 1/2 safety winding (1800mm at 2 safety windings)
Offset: 152mm

Factory price: 102.88 € excl. VAT / piece
Weight: 6.89 kg **Shipping class:** Standard




CABLE DRUM M162-4165 HL

ARTICLE: 11104

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 728 kg
Max cable diameter: 6 mm
Shaft diameter : 31,75mm(1,25 inch)
Maks. HL:4200mm at 1/2 safety winding (2940mm at 2 safety windings)
Offset: 152mm

Factory price: 0.00 € excl. VAT / piece
Weight: 6.44 kg **Shipping class:** Standard



CABLE DRUM M203-3050 HL

ARTICLE: 11108

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 1000 kg

Max cable diameter: 6 mm

Shaft diameter : 31,75mm(1,25 inch)

Maks. HL:3140mm at 1/2 safety winding (1900mm at 2 safety windings)


Offset: 152mm

Factory price: 93.25 € excl. VAT / piece

Weight: 7.34 kg **Shipping class:** Standard

STANDARD LIFT

The Komponenty Do Bram store offers a variety of components that improve the operation of garage doors, including gate guides. These products are an excellent choice for a variety of gate systems, making them extremely versatile. The Komponenty Do Bram company offers solutions that meet the expectations of both individual users and construction professionals. Our garage gate guides are solid and durable, which ensures their long-term use.




CABLE DRUM M102-2400 SL - LEFT

ARTICLE: 94949

Cable drum for garage door with standard lift LEFT
 Material: Aluminium
 Max weight: 240 kg
 Max cable diameter: 3 mm
 Shaft diameter : 25,4 mm (1 inch)
 Max door height : 2490mm at 1/2 safety winding (1970mm at 2 safety windings)
 Offset: 67mm

Factory price: 3.60 € excl. VAT / piece
Weight: 0.2 kg **Shipping class:** Standard
Tag: [bęben do bramy](#)




CABLE DRUM M102-2400 SL -RIGHT

ARTICLE: 94950

Cable drum for garage door with standard lift - RIGHT
 Material: Aluminium
 Max weight: 240 kg
 Max cable diameter: 3 mm
 Shaft diameter : 25,4 mm (1 inch)
 Max door height : 2490mm at 1/2 safety winding (1970mm at 2 safety windings)
 Offset: 67mm

Factory price: 3.60 € excl. VAT / piece
Weight: 0.255 kg **Shipping class:** Standard
Tag: [bęben do bramy](#)



CABLE DRUM M102-2500

ARTICLE: 11180

Cable drum for garage door with standard lift

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 2500mm at 1/2 safety winding (2000mm at 2 safety windings)

Offset: 67mm

Factory price: 7.60 € excl. VAT / piece

Weight: 0.42 kg **Shipping class:** Standard



CABLE DRUM M102-2400 SL

ARTICLE: 10000

Cable drum for garage door with standard lift

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 2400mm at 1/2 safety winding (1970mm at 2 safety windings)

Offset: 67mm

Factory price: 0.00 € excl. VAT / piece

Weight: 0.46 kg **Shipping class:** Standard



CABLE DRUM M102-2400 SL RIGHT

ARTICLE: 93574

Cable drum for garage door with standard lift

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 2400mm at 1/2 safety winding (1970mm at 2 safety windings)

Offset: 67mm

Factory price: 0.00 € excl. VAT / piece

Weight: 0.226 kg **Shipping class:** Standard



CABLE DRUM M102-2400 SL LEFT

ARTICLE: 93577

Bęben do bramy garażowej z prowadzeniem standadowym

Materiał: Aluminium

Maks. ciężar: 240 kg

Maks. średnica linki: 3 mm


Średnica wału: 25,4 mm (1 cal)

Maks. wysokość bramy: 2400mm przy 1/2 zwoju bezpieczeństwa (1970mm przy 2 zwojach)

Offset: 67mm

Factory price: 0.00 € excl. VAT / piece

Weight: 0.226 kg **Shipping class:** Standard



CABLE DRUM M102-3125 SL

ARTICLE: 10010

Cable drum for garage door and industrial door with standard lift

Material: Aluminium

Max weight: 340 kg

Max cable diameter: 4 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 3070mm at 1/2 safety winding (2560mm at 2 safety windings)

Offset: 67mm

Factory price: 8.63 € excl. VAT / piece

Weight: 0.76 kg **Shipping class:** Standard



CABLE DRUM M102-3125 SL -LEFT

ARTICLE: 94432

Cable drum for garage door and industrial door with standard lift, left side.

Material: Aluminium

Max weight: 359 kg

Max cable diameter: 4 mm

Shaft diameter : 25,4 mm (1 inch)


Max door height : 3070mm at 1/2 safety winding (2560mm at 2 safety windings)

Offset: 67mm

Factory price: 5.00 € excl. VAT / piece

Weight: 0.36 kg **Shipping class:** Standard

Tag: [bęben do bramy](#)



CABLE DRUM M102-3125 SL RIGHT

ARTICLE: 94434

Cable drum for garage door and industrial door with standard lift, right side.

Material: Aluminium

Max weight: 340 kg

Max cable diameter: 4 mm

Shaft diameter : 25,4 mm (1 inch)


Max door height : 3070mm at 1/2 safety winding (2560mm at 2 safety windings)

Offset: 67mm

Factory price: 5.00 € excl. VAT / piece

Weight: 0.36 kg **Shipping class:** Standard

Tag: [bęben do bramy](#)



CABLE DRUM M102-3760 SL

ARTICLE: 10140

Cable drum for industrial door with standard lift

Material: Aluminium

Max weight: 340 kg

Max cable diameter: 4 mm

Shaft diameter : 25,4 mm (1 inch)


Max door height : 3800mm at 1/2 safety winding (3300mm at 2 safety windings)

Offset: 67mm

Factory price: 11.75 € excl. VAT / piece

Weight: 0.86 kg **Shipping class:** Standard

Tag: [bęben do bramy przemysłowej](#)



CABLE DRUM M102-3760 SL LEFT

ARTICLE: 94828

Cable drum for industrial door with standard lift LEFT

Max weight: 340 kg

Max cable diameter: 4 mm

Shaft diameter : 25,4 mm (1 inch)


Max door height : 3800mm at 1/2 safety winding (3300mm at 2 safety windings)

Offset: 67mm

Factory price: 5.30 € excl. VAT / piece

Weight: 0.42 kg **Shipping class:** Standard

Tag: [bęben do bramy przemysłowej](#)



CABLE DRUM M102-3760 SL RIGHT

ARTICLE: 94830

Cable drum for industrial door with standard lift RIGHT

Material: Aluminium

Max weight: 340 kg

Max cable diameter: 4 mm

Shaft diameter : 25,4 mm (1 inch)


Max door height : 3800mm at 1/2 safety winding (3300mm at 2 safety windings)

Offset: 67mm

Factory price: 5.30 € excl. VAT / piece

Weight: 0.2 kg **Shipping class:** Standard

Tag: [bęben do bramy przemysłowej](#)



CABLE DRUM M134-5500 SL

ARTICLE: 10020

Cable drum for industrial door with standard lift

Material: Aluminium

Max weight: 680 kg

Max cable diameter: 5 mm

Shaft diameter : 25,4 mm (1 inch)


Max door height : 5500mm at 1/2 safety winding (4800mm at 2 safety windings)

Offset: 86mm

Factory price: 17.85 € excl. VAT / piece

Weight: 1.48 kg **Shipping class:** Standard

Tag: [bęben do bramy przemysłowej](#)



CABLE DRUM M134-5500 SL RIGHT

ARTICLE: 95123

Cable drum for industrial door with standard lift

Material: Aluminium

Max weight: 680 kg

Max cable diameter: 5 mm

Shaft diameter : 25,4 mm (1 inch)


Max door height : 5500mm at 1/2 safety winding (4800mm at 2 safety windings)

Offset: 86mm

Factory price: 17.85 € excl. VAT / piece

Weight: 0.74 kg **Shipping class:** Standard

Tag: [bęben do bramy przemysłowej](#)




CABLE DRUM M134-5500 SL LEFT

ARTICLE: 95127

Cable drum for industrial door with standard lift
Material: Aluminium
Max weight: 680 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 5500mm at 1/2 safety winding (4800mm at 2 safety windings)
Offset: 86mm

Factory price: 17.85 € excl. VAT / piece
Weight: 0.74 kg **Shipping class:** Standard
Tag: [bęben do bramy przemysłowej](#)




CABLE DRUM M203-9750 SL

ARTICLE: 10030

Cable drum for industrial door with standard lift
Material: Aluminium
Max weight: 1000 kg
Max cable diameter: 6 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 9600mm at 1/2 safety winding (8650mm at 2 safety windings)
Offset: 127mm

Factory price: 132.52 € excl. VAT / piece
Weight: 6.4 kg **Shipping class:** Standard



CABLE DRUM M203-9750 SL

ARTICLE: 11030

Cable drum for industrial door with standard lift
Material: Aluminium
Max weight: 1000 kg
Max cable diameter: 6 mm
Shaft diameter : 31,75mm (1.25 cala)
Max door height : 9600mm at 1/2 safety winding (8600mm at 2 safety windings)
Offset: 127mm

Factory price: 208.38 € excl. VAT / piece
Weight: 8 kg **Shipping class:** Standard

VERTICAL LIFT

At Komponenty Do Bram sp. z o.o. we offer a wide range of vertical guides for gates, which are the foundation of reliable industrial systems. Our vertical guide accessories are distinguished by various specifications, which allows them to be perfectly matched to the unique requirements of each user. Thanks to this, we can ensure not only smooth operation, but also durability and safety of the devices used. The vertical guide elements available in our offer are characterized by the highest quality of workmanship, which makes them an excellent choice for various applications.



VERTICAL LIFT DRUM M280-5500 LEFT

ARTICLE: 18287

cable drum for industrial door with vertical lift
 material: aluminium
 max weight: 518kg
 max cable diameter: 5mm
 shaft diameter: 25,4mm (1 inch)
 max door height: 5559mm

Factory price: € excl. VAT / piece
Weight: 1.512 kg **Shipping class:** Standard




VERTICAL LIFT DRUM M280-5500 RIGHT

ARTICLE: 18288

cable drum for industrial door with vertical lift
 material: aluminium
 max weight: 518kg
 max cable diameter: 5mm
 shaft diameter: 25,4mm (1 inch)
 max door height: 5559mm

Factory price: € excl. VAT / piece
Weight: 1.512 kg **Shipping class:** Standard




CABLE DRUM M216-3350 VL

ARTICLE: 10090

Cable drum for industrial door with vertical lift
 Material: Aluminium
 Max weight: 386 kg
 Max cable diameter: 5 mm
 Shaft diameter : 25,4mm (1 inch)
 Max door height : 3290mm at 1/2 safety winding (2230mm at 2 safety windings)
 Offset: 127mm

Factory price: 21.00 € excl. VAT / piece
Weight: 1.6 kg **Shipping class:** Standard




CABLE DRUM M216-3350 VL LEFT

ARTICLE: 18285

Cable drum for industrial door with vertical lift
Material: Aluminium
Max weight: 386 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Max door height : 3290mm at 1/2 safety winding (2230mm at 2 safety windings)
Offset: 127mm

Factory price: 21.00 € excl. VAT / piece
Weight: 0.948 kg **Shipping class:** Standard





CABLE DRUM M216-3350 VL RIGHT

ARTICLE: 18286

Cable drum for industrial door with vertical lift
Material: Aluminium
Max weight: 386 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Max door height : 3290mm at 1/2 safety winding (2230mm at 2 safety windings)
Offset: 127mm

Factory price: 21.00 € excl. VAT / piece
Weight: 0.948 kg **Shipping class:** Standard




CABLE DRUM M280-5500 VL

ARTICLE: 10100

Cable drum for industrial door with vertical lift
Material: Aluminium
Max weight: 518 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Max door height : 5560mm at 1/2 safety winding (4460mm at 2 safety windings)
Offset: 152mm

Factory price: 0.00 € excl. VAT / piece
Weight: 3.52 kg **Shipping class:** Standard
Tag: [bęben do bramy przemysłowej](#)



CABLE DRUM M343-8500 VL

ARTICLE: 10121

Cable drum for industrial door with vertical lift

Material: Aluminium

Max weight: 1000 kg

Max cable diameter: 6 mm


Shaft diameter : 25,4mm (1 inch)

Max door height : 8400mm at 1/2 safety winding (6930mm at 2 safety windings)

Offset: 190mm

Factory price: 294.16 € excl. VAT / piece

Weight: 8.66 kg **Shipping class:** Standard



CABLE DRUM M343-8500 VL

ARTICLE: 11112

Cable drum for industrial door with vertical lift

Material: Aluminium

Max weight: 1000 kg

Max cable diameter: 6 mm

Shaft diameter : 31,75mm(1,25 inch)

Max door height : 8400mm at 1/2 safety winding (6930mm at 2 safety windings)

Offset: 190mm

Factory price: 294.16 € excl. VAT / piece

Weight: 8.42 kg **Shipping class:** Standard