


CABLE DRUMS

Cable drums are an element of the sectional gate lifting system. The method of winding the cable depends on the technical solution in a given gate.

HIGH LIFT



CABLE DRUM M162-4165 HL

ARTICLE: 10040

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 728 kg

Max cable diameter: 6 mm


Shaft diameter : 25,4mm (1 inch)

Maks. HL: 4190mm at 1/2 safety winding (2900mm at 2 safety windings)

Offset: 152mm

Factory price: 0.00 € excl. VAT / piece

Weight: 6.8 kg **Shipping class:** Standard



CABLE DRUM M162-4165 HL LEFT

ARTICLE: 18266

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 728 kg

Max cable diameter: 6 mm

Shaft diameter : 25,4mm (1 inch)


Maks. HL: 4190mm at 1/2 safety winding (2900mm at 2 safety windings)

Offset: 152mm

Factory price: 0.00 € excl. VAT / piece

Weight: 3.27 kg **Shipping class:** Standard

Tag: [bęben do bramy](#)



CABLE DRUM M162-4165 HL RIGHT

ARTICLE: 18267

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 728 kg

Max cable diameter: 6 mm

Shaft diameter : 25,4mm (1 inch)


Maks. HL: 4190mm at 1/2 safety winding (2900mm at 2 safety windings)

Offset: 152mm

Factory price: 0.00 € excl. VAT / piece

Weight: 3.27 kg **Shipping class:** Standard

Tag: [bęben do bramy](#)



CABLE DRUM M102-1375 HL

ARTICLE: 10050

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 250 kg

Max cable diameter: 4 mm

Shaft diameter : 25,4mm (1 inch)


Maks. HL: 1375mm at 1/2 safety winding (740mm at 2 safety windings)

Offset: 86mm

Factory price: 13.76 € excl. VAT / piece

Weight: 1.08 kg **Shipping class:** Standard

Tag: [bęben do bramy przemysłowej](#)



CABLE DRUM M102-1375 HL LEFT

ARTICLE: 95456

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 250 kg

Max cable diameter: 4 mm

Shaft diameter : 25,4mm (1 inch)


Maks. HL: 1375mm at 1/2 safety winding (740mm at 2 safety windings)

Offset: 86mm

Factory price: 13.76 € excl. VAT / piece

Weight: 0.49 kg **Shipping class:** Standard

Tag: [bęben do bramy przemysłowej](#)




CABLE DRUM M102-1375 HL RIGHT

ARTICLE: 95458

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 250 kg
Max cable diameter: 4 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:1375mm at 1/2 safety winding (740mm at 2 safety windings)
Offset: 86mm

Factory price: 13.76 € excl. VAT / piece
Weight: 0.49 kg **Shipping class:** Standard
Tag: [bęben do bramy](#)




CABLE DRUM M134-1375 HL

ARTICLE: 10060

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:1380mm at 1/2 safety winding (570mm at 2 safety windings)
Offset: 111mm

Factory price: 27.41 € excl. VAT / piece
Weight: 2.1 kg **Shipping class:** Standard
Tag: [bęben do bramy przemysłowej](#)




CABLE DRUM M134-1375 HL LEFT

ARTICLE: 03945

Cable drum for industrial door with high lift LEFT
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:1380mm at 1/2 safety winding (570mm at 2 safety windings)
Offset: 111mm

Factory price: 11.50 € excl. VAT / piece
Weight: 0.822 kg **Shipping class:** Standard




CABLE DRUM M134-1375 HL RIGHT

ARTICLE: 03950

Cable drum for industrial door with high lift RIGHT
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:1380mm at 1/2 safety winding (570mm at 2 safety windings)
Offset: 111mm

Factory price: 11.50 € excl. VAT / piece

Weight: 0.822 kg **Shipping class:** Standard



CABLE DRUM M146-3050 HL


ARTICLE: 10070

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:2997mm at 1/2 safety winding (1960mm at 2 safety windings)
Offset: 152mm

Factory price: 33.70 € excl. VAT / piece

Weight: 2.62 kg **Shipping class:** Standard

Tag: [bęben do bramy](#)



CABLE DRUM M146-3050 HL LEFT


ARTICLE: 18282

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:2997mm at 1/2 safety winding (1960mm at 2 safety windings)
Offset: 152mm

Factory price: 33.70 € excl. VAT / piece

Weight: 1.15 kg **Shipping class:** Standard

Tag: [bęben do bramy](#)



CABLE DRUM M146-3050 HL RIGHT

ARTICLE: 18284

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 454 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:2997mm at 1/2 safety winding (1960mm at 2 safety windings)
Offset: 152mm

Factory price: 33.70 € excl. VAT / piece
Weight: 1.15 kg **Shipping class:** Standard
Tag: [bęben do bramy](#)




CABLE DRUM M203-3050 HL

ARTICLE: 10080

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 1000 kg
Max cable diameter: 6 mm
Shaft diameter : 25,4mm (1 inch)
Maks. HL:3028mm at 1/2 safety winding (1800mm at 2 safety windings)
Offset: 152mm

Factory price: 102.88 € excl. VAT / piece
Weight: 6.89 kg **Shipping class:** Standard




CABLE DRUM M162-4165 HL

ARTICLE: 11104

Cable drum for industrial door with high lift
Material: Aluminium
Max weight: 728 kg
Max cable diameter: 6 mm
Shaft diameter : 31,75mm(1,25 inch)
Maks. HL:4200mm at 1/2 safety winding (2940mm at 2 safety windings)
Offset: 152mm

Factory price: 0.00 € excl. VAT / piece
Weight: 6.44 kg **Shipping class:** Standard



CABLE DRUM M203-3050 HL

ARTICLE: 11108

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 1000 kg

Max cable diameter: 6 mm

Shaft diameter : 31,75mm(1,25 inch)


Maks. HL:3140mm at 1/2 safety winding (1900mm at 2 safety windings)

Offset: 152mm

Factory price: 93.25 € excl. VAT / piece

Weight: 7.34 kg **Shipping class:** Standard

STANDARD LIFT



CABLE DRUM M102-2400 SL - LEFT

ARTICLE: 94949

Cable drum for garage door with standard lift LEFT

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm

Shaft diameter : 25,4 mm (1 inch)


Max door height : 2490mm at 1/2 safety winding (1970mm at 2 safety windings)

Offset: 67mm

Factory price: 3.60 € excl. VAT / piece

Weight: 0.2 kg **Shipping class:** Standard

Tag: [bęben do bramy](#)



CABLE DRUM M102-2400 SL - RIGHT

ARTICLE: 94950

Cable drum for garage door with standard lift - RIGHT

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm

Shaft diameter : 25,4 mm (1 inch)


Max door height : 2490mm at 1/2 safety winding (1970mm at 2 safety windings)

Offset: 67mm

Factory price: 3.60 € excl. VAT / piece

Weight: 0.255 kg **Shipping class:** Standard

Tag: [bęben do bramy](#)



CABLE DRUM M102-2500

ARTICLE: 11180

Cable drum for garage door with standard lift

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 2500mm at 1/2 safety winding (2000mm at 2 safety windings)

Offset: 67mm

Factory price: 7.60 € excl. VAT / piece

Weight: 0.42 kg **Shipping class:** Standard



CABLE DRUM M102-2400 SL

ARTICLE: 10000

Cable drum for garage door with standard lift

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 2400mm at 1/2 safety winding (1970mm at 2 safety windings)

Offset: 67mm

Factory price: 0.00 € excl. VAT / piece

Weight: 0.46 kg **Shipping class:** Standard



CABLE DRUM M102-2400 SL RIGHT

ARTICLE: 93574

Cable drum for garage door with standard lift

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 2400mm at 1/2 safety winding (1970mm at 2 safety windings)

Offset: 67mm

Factory price: 0.00 € excl. VAT / piece

Weight: 0.226 kg **Shipping class:** Standard



CABLE DRUM M102-2400 SL LEFT

ARTICLE: 93577

Bęben do bramy garażowej z prowadzeniem standardowym

Materiał: Aluminium

Maks. ciężar: 240 kg

Maks. średnica linki: 3 mm


Średnica wału: 25,4 mm (1 cal)

Maks. wysokość bramy: 2400mm przy 1/2 zwoju bezpieczeństwa (1970mm przy 2 zwojach)

Offset: 67mm

Factory price: 0.00 € excl. VAT / piece

Weight: 0.226 kg **Shipping class:** Standard




CABLE DRUM M102-3125 SL

ARTICLE: 10010

Cable drum for garage door and industrial door with standard lift
Material: Aluminium
Max weight: 340 kg
Max cable diameter: 4 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 3070mm at 1/2 safety winding (2560mm at 2 safety windings)
Offset: 67mm

Factory price: 8.63 € excl. VAT / piece
Weight: 0.76 kg **Shipping class:** Standard




CABLE DRUM M102-3125 SL -LEFT

ARTICLE: 94432

Cable drum for garage door and industrial door with standard lift, left side.
Material: Aluminium
Max weight: 359 kg
Max cable diameter: 4 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 3070mm at 1/2 safety winding (2560mm at 2 safety windings)
Offset: 67mm

Factory price: 5.00 € excl. VAT / piece
Weight: 0.36 kg **Shipping class:** Standard
Tag: [beben do bramy](#)




CABLE DRUM M102-3125 SL RIGHT

ARTICLE: 94434

Cable drum for garage door and industrial door with standard lift, right side.
Material: Aluminium
Max weight: 340 kg
Max cable diameter: 4 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 3070mm at 1/2 safety winding (2560mm at 2 safety windings)
Offset: 67mm

Factory price: 5.00 € excl. VAT / piece
Weight: 0.36 kg **Shipping class:** Standard
Tag: [beben do bramy](#)




CABLE DRUM M102-3760 SL

ARTICLE: 10140

Cable drum for industrial door with standard lift
Material: Aluminium
Max weight: 340 kg
Max cable diameter: 4 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 3800mm at 1/2 safety winding (3300mm at 2 safety windings)
Offset: 67mm

Factory price: 11.75 € excl. VAT / piece
Weight: 0.86 kg **Shipping class:** Standard
Tag: [bęben do bramy przemysłowej](#)




CABLE DRUM M102-3760 SL LEFT

ARTICLE: 94828

Cable drum for industrial door with standard lift LEFT
Max weight: 340 kg
Max cable diameter: 4 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 3800mm at 1/2 safety winding (3300mm at 2 safety windings)
Offset: 67mm

Factory price: 5.30 € excl. VAT / piece
Weight: 0.42 kg **Shipping class:** Standard
Tag: [bęben do bramy przemysłowej](#)




CABLE DRUM M102-3760 SL RIGHT

ARTICLE: 94830

Cable drum for industrial door with standard lift RIGHT
Material: Aluminium
Max weight: 340 kg
Max cable diameter: 4 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 3800mm at 1/2 safety winding (3300mm at 2 safety windings)
Offset: 67mm

Factory price: 5.30 € excl. VAT / piece
Weight: 0.2 kg **Shipping class:** Standard
Tag: [bęben do bramy przemysłowej](#)




CABLE DRUM M134-5500 SL

ARTICLE: 10020

Cable drum for industrial door with standard lift
Material: Aluminium
Max weight: 680 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 5500mm at 1/2 safety winding (4800mm at 2 safety windings)
Offset: 86mm

Factory price: 17.85 € excl. VAT / piece
Weight: 1.48 kg **Shipping class:** Standard
Tag: [bęben do bramy przemysłowej](#)




CABLE DRUM M134-5500 SL RIGHT

ARTICLE: 95123

Cable drum for industrial door with standard lift
Material: Aluminium
Max weight: 680 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 5500mm at 1/2 safety winding (4800mm at 2 safety windings)
Offset: 86mm

Factory price: 17.85 € excl. VAT / piece
Weight: 0.74 kg **Shipping class:** Standard
Tag: [bęben do bramy przemysłowej](#)



CABLE DRUM M134-5500 SL LEFT

ARTICLE: 95127

Cable drum for industrial door with standard lift
Material: Aluminium
Max weight: 680 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 5500mm at 1/2 safety winding (4800mm at 2 safety windings)
Offset: 86mm

Factory price: 17.85 € excl. VAT / piece
Weight: 0.74 kg **Shipping class:** Standard
Tag: [bęben do bramy przemysłowej](#)




CABLE DRUM M203-9750 SL

ARTICLE: 10030

Cable drum for industrial door with standard lift
Material: Aluminium
Max weight: 1000 kg
Max cable diameter: 6 mm
Shaft diameter : 25,4 mm (1 inch)
Max door height : 9600mm at 1/2 safety winding (8650mm at 2 safety windings)
Offset: 127mm

Factory price: 132.52 € excl. VAT / piece
Weight: 6.4 kg **Shipping class:** Standard



CABLE DRUM M203-9750 SL

ARTICLE: 11030

Cable drum for industrial door with standard lift
Material: Aluminium
Max weight: 1000 kg
Max cable diameter: 6 mm
Shaft diameter : 31,75mm (1.25 cala)
Max door height : 9600mm at 1/2 safety winding (8600mm at 2 safety windings)
Offset: 127mm

Factory price: 208.38 € excl. VAT / piece
Weight: 8 kg **Shipping class:** Standard

VERTICAL LIFT



VERTICAL LIFT DRUM M280-5500 LEFT

ARTICLE: 18287

cable drum for industrial door with vertical lift
material: aluminium
max weight: 518kg
max cable diameter: 5mm
shaft diameter: 25,4mm (1 inch)
max door height: 5559mm

Factory price: € excl. VAT / piece
Weight: 1.512 kg **Shipping class:** Standard




VERTICAL LIFT DRUM M280-5500 RIGHT

ARTICLE: 18288

cable drum for industrial door with vertical lift
material: aluminium
max weight: 518kg
max cable diameter: 5mm
shaft diameter: 25,4mm (1 inch)
max door height: 5559mm

Factory price: € excl. VAT / piece
Weight: 1.512 kg **Shipping class:** Standard




CABLE DRUM M216-3350 VL

ARTICLE: 10090

Cable drum for industrial door with vertical lift
Material: Aluminium
Max weight: 386 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Max door height : 3290mm at 1/2 safety winding (2230mm at 2 safety windings)
Offset: 127mm

Factory price: 21.00 € excl. VAT / piece
Weight: 1.6 kg **Shipping class:** Standard




CABLE DRUM M216-3350 VL LEFT

ARTICLE: 18285

Cable drum for industrial door with vertical lift
Material: Aluminium
Max weight: 386 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Max door height : 3290mm at 1/2 safety winding (2230mm at 2 safety windings)
Offset: 127mm

Factory price: 21.00 € excl. VAT / piece
Weight: 0.948 kg **Shipping class:** Standard




CABLE DRUM M216-3350 VL RIGHT

ARTICLE: 18286

Cable drum for industrial door with vertical lift
Material: Aluminium
Max weight: 386 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Max door height : 3290mm at 1/2 safety winding (2230mm at 2 safety windings)
Offset: 127mm

Factory price: 21.00 € excl. VAT / piece
Weight: 0.948 kg **Shipping class:** Standard




CABLE DRUM M280-5500 VL

ARTICLE: 10100

Cable drum for industrial door with vertical lift
Material: Aluminium
Max weight: 518 kg
Max cable diameter: 5 mm
Shaft diameter : 25,4mm (1 inch)
Max door height : 5560mm at 1/2 safety winding (4460mm at 2 safety windings)
Offset: 152mm

Factory price: 0.00 € excl. VAT / piece
Weight: 3.52 kg **Shipping class:** Standard
Tag: [bęben do bramy przemysłowej](#)



CABLE DRUM M343-8500 VL

ARTICLE: 10121

Cable drum for industrial door with vertical lift

Material: Aluminium

Max weight: 1000 kg

Max cable diameter: 6 mm


Shaft diameter : 25,4mm (1 inch)

Max door height : 8400mm at 1/2 safety winding (6930mm at 2 safety windings)

Offset: 190mm

Factory price: 294.16 € excl. VAT / piece

Weight: 8.66 kg **Shipping class:** Standard



CABLE DRUM M343-8500 VL

ARTICLE: 11112

Cable drum for industrial door with vertical lift

Material: Aluminium

Max weight: 1000 kg

Max cable diameter: 6 mm

Shaft diameter : 31,75mm(1,25 inch)

Max door height : 8400mm at 1/2 safety winding (6930mm at 2 safety windings)

Offset: 190mm

Factory price: 294.16 € excl. VAT / piece

Weight: 8.42 kg **Shipping class:** Standard