


# CABLE DRUMS

## HIGH LIFT




### CABLE DRUM M162-4165 HL

**ARTICLE:** 10040

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 728 kg  
Max cable diameter: 6 mm  
Shaft diameter : 25,4mm (1 inch)  
Maks. HL: 4190mm at 1/2 safety winding (2900mm at 2 safety windings)  
Offset: 152mm

**Factory price:** 0.00 € excl. VAT / piece  
**Weight:** 6.8 kg **Shipping class:** Standard




### CABLE DRUM M162-4165 HL LEFT

**ARTICLE:** 18266

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 728 kg  
Max cable diameter: 6 mm  
Shaft diameter : 25,4mm (1 inch)  
Maks. HL: 4190mm at 1/2 safety winding (2900mm at 2 safety windings)  
Offset: 152mm

**Factory price:** 0.00 € excl. VAT / piece  
**Weight:** 3.27 kg **Shipping class:** Standard




### CABLE DRUM M162-4165 HL RIGHT

**ARTICLE:** 18267

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 728 kg  
Max cable diameter: 6 mm  
Shaft diameter : 25,4mm (1 inch)  
Maks. HL: 4190mm at 1/2 safety winding (2900mm at 2 safety windings)  
Offset: 152mm

**Factory price:** 0.00 € excl. VAT / piece  
**Weight:** 3.27 kg **Shipping class:** Standard




## CABLE DRUM M102-1375 HL

**ARTICLE:** 10050

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 250 kg  
Max cable diameter: 4 mm  
Shaft diameter : 25,4mm (1 inch)  
Maks. HL:1375mm at 1/2 safety winding (740mm at 2 safety windings)  
Offset: 86mm

**Factory price:** 13.76 € excl. VAT / piece  
**Weight:** 1.03 kg **Shipping class:** Standard




## CABLE DRUM M102-1375 HL LEFT

**ARTICLE:** 95456

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 250 kg  
Max cable diameter: 4 mm  
Shaft diameter : 25,4mm (1 inch)  
Maks. HL:1375mm at 1/2 safety winding (740mm at 2 safety windings)  
Offset: 86mm

**Factory price:** 13.76 € excl. VAT / piece  
**Weight:** 0.493 kg **Shipping class:** Standard




## CABLE DRUM M102-1375 HL RIGHT

**ARTICLE:** 95458

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 250 kg  
Max cable diameter: 4 mm  
Shaft diameter : 25,4mm (1 inch)  
Maks. HL:1375mm at 1/2 safety winding (740mm at 2 safety windings)  
Offset: 86mm

**Factory price:** 13.76 € excl. VAT / piece  
**Weight:** 0.493 kg **Shipping class:** Standard



## CABLE DRUM M134-1375 HL

**ARTICLE:** 10060

Cable drum for industrial door with high lift

Material: Aluminium

Max weight: 454 kg

Max cable diameter: 5 mm


Shaft diameter : 25,4mm (1 inch)

Maks. HL:1380mm at 1/2 safety winding (570mm at 2 safety windings)

Offset: 111mm

**Factory price:** 27.41 € excl. VAT / piece

**Weight:** 1.82 kg **Shipping class:** Standard



## CABLE DRUM M134-1375 HL LEFT

**ARTICLE:** 03945

Cable drum for industrial door with high lift LEFT

Material: Aluminium

Max weight: 454 kg

Max cable diameter: 5 mm


Shaft diameter : 25,4mm (1 inch)

Maks. HL:1380mm at 1/2 safety winding (570mm at 2 safety windings)

Offset: 111mm

**Factory price:** 11.50 € excl. VAT / piece

**Weight:** 0.822 kg **Shipping class:** Standard



## CABLE DRUM M134-1375 HL RIGHT

**ARTICLE:** 03950

Cable drum for industrial door with high lift RIGHT

Material: Aluminium

Max weight: 454 kg

Max cable diameter: 5 mm


Shaft diameter : 25,4mm (1 inch)

Maks. HL:1380mm at 1/2 safety winding (570mm at 2 safety windings)

Offset: 111mm

**Factory price:** 11.50 € excl. VAT / piece

**Weight:** 0.822 kg **Shipping class:** Standard




## CABLE DRUM M146-3050 HL

**ARTICLE:** 10070

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 454 kg  
Max cable diameter: 5 mm  
Shaft diameter : 25,4mm (1 inch)  
Maks. HL:2997mm at 1/2 safety winding (1960mm at 2 safety windings)  
Offset: 152mm

**Factory price:** 33.70 € excl. VAT / piece  
**Weight:** 2.27 kg **Shipping class:** Standard




## CABLE DRUM M146-3050 HL LEFT

**ARTICLE:** 18282

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 454 kg  
Max cable diameter: 5 mm  
Shaft diameter : 25,4mm (1 inch)  
Maks. HL:2997mm at 1/2 safety winding (1960mm at 2 safety windings)  
Offset: 152mm

**Factory price:** 33.70 € excl. VAT / piece  
**Weight:** 1.15 kg **Shipping class:** Standard



## CABLE DRUM M146-3050 HL RIGHT

**ARTICLE:** 18284

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 454 kg  
Max cable diameter: 5 mm  
Shaft diameter : 25,4mm (1 inch)  
Maks. HL:2997mm at 1/2 safety winding (1960mm at 2 safety windings)  
Offset: 152mm

**Factory price:** 33.70 € excl. VAT / piece  
**Weight:** 1.15 kg **Shipping class:** Standard




### CABLE DRUM M203-3050 HL

**ARTICLE:** 10080

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 1000 kg  
Max cable diameter: 6 mm  
Shaft diameter : 25,4mm (1 inch)  
Maks. HL:3028mm at 1/2 safety winding (1800mm at 2 safety windings)  
Offset: 152mm

**Factory price:** 102.88 € excl. VAT / piece  
**Weight:** 6.89 kg **Shipping class:** Standard




### CABLE DRUM M162-4165 HL

**ARTICLE:** 11104

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 728 kg  
Max cable diameter: 6 mm  
Shaft diameter : 31,75mm(1,25 inch)  
Maks. HL:4200mm at 1/2 safety winding (2940mm at 2 safety windings)  
Offset: 152mm

**Factory price:** 0.00 € excl. VAT / piece  
**Weight:** 6.44 kg **Shipping class:** Standard




### CABLE DRUM M203-3050 HL

**ARTICLE:** 11108

Cable drum for industrial door with high lift  
Material: Aluminium  
Max weight: 1000 kg  
Max cable diameter: 6 mm  
Shaft diameter : 31,75mm(1,25 inch)  
Maks. HL:3140mm at 1/2 safety winding (1900mm at 2 safety windings)  
Offset: 152mm

**Factory price:** 93.25 € excl. VAT / piece  
**Weight:** 7.34 kg **Shipping class:** Standard

## STANDARD LIFT



### CABLE DRUM M102-2400 SL - LEFT

**ARTICLE:** 94949

Cable drum for garage door with standard lift LEFT

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 2490mm at 1/2 safety winding (1970mm at 2 safety windings)

Offset: 67mm

**Factory price:** 3.60 € excl. VAT / piece

**Weight:** 0.255 kg **Shipping class:** Standard



### CABLE DRUM M102-2400 SL - RIGHT

**ARTICLE:** 94950

Cable drum for garage door with standard lift - RIGHT

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 2490mm at 1/2 safety winding (1970mm at 2 safety windings)

Offset: 67mm

**Factory price:** 3.60 € excl. VAT / piece

**Weight:** 0.255 kg **Shipping class:** Standard



### CABLE DRUM M102-2500

**ARTICLE:** 11180

Cable drum for garage door with standard lift

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 2500mm at 1/2 safety winding (2000mm at 2 safety windings)

Offset: 67mm

**Factory price:** 7.60 € excl. VAT / piece

**Weight:** 0.42 kg **Shipping class:** Standard



## CABLE DRUM M102-2400 SL

**ARTICLE:** 10000

Cable drum for garage door with standard lift

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 2400mm at 1/2 safety winding (1970mm at 2 safety windings)

Offset: 67mm

**Factory price:** 0.00 € excl. VAT / piece

**Weight:** 0.46 kg **Shipping class:** Standard



## CABLE DRUM M102-2400 SL RIGHT

**ARTICLE:** 93574

Cable drum for garage door with standard lift

Material: Aluminium

Max weight: 240 kg

Max cable diameter: 3 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 2400mm at 1/2 safety winding (1970mm at 2 safety windings)

Offset: 67mm

**Factory price:** 0.00 € excl. VAT / piece

**Weight:** 0.226 kg **Shipping class:** Standard



## CABLE DRUM M102-2400 SL LEFT

**ARTICLE:** 93577

Bęben do bramy garażowej z prowadzeniem standardowym

Materiał: Aluminium

Maks. ciężar: 240 kg

Maks. średnica linki: 3 mm


Średnica wału: 25,4 mm (1 cal)

Maks. wysokość bramy: 2400mm przy 1/2 zwoju bezpieczeństwa (1970mm przy 2 zwojach)

Offset: 67mm

**Factory price:** 0.00 € excl. VAT / piece

**Weight:** 0.226 kg **Shipping class:** Standard




## CABLE DRUM M102-3125 SL

**ARTICLE:** 10010

Cable drum for garage door and industrial door with standard lift  
Material: Aluminium  
Max weight: 340 kg  
Max cable diameter: 4 mm  
Shaft diameter : 25,4 mm (1 inch)  
Max door height : 3070mm at 1/2 safety winding (2560mm at 2 safety windings)  
Offset: 67mm

**Factory price:** 8.63 € excl. VAT / piece

**Weight:** 0.78 kg **Shipping class:** Standard




## CABLE DRUM M102-3125 SL -LEFT

**ARTICLE:** 94432

Cable drum for garage door and industrial door with standard lift, left side.  
Material: Aluminium  
Max weight: 359 kg  
Max cable diameter: 4 mm  
Shaft diameter : 25,4 mm (1 inch)  
Max door height : 3070mm at 1/2 safety winding (2560mm at 2 safety windings)  
Offset: 67mm

**Factory price:** 5.00 € excl. VAT / piece

**Weight:** 0.359 kg **Shipping class:** Standard



## CABLE DRUM M102-3125 SL RIGHT


**ARTICLE:** 94434

Cable drum for garage door and industrial door with standard lift, right side.  
Material: Aluminium  
Max weight: 340 kg  
Max cable diameter: 4 mm  
Shaft diameter : 25,4 mm (1 inch)  
Max door height : 3070mm at 1/2 safety winding (2560mm at 2 safety windings)  
Offset: 67mm

**Factory price:** 5.00 € excl. VAT / piece

**Weight:** 0.359 kg **Shipping class:** Standard





## CABLE DRUM M102-3760 SL

**ARTICLE:** 10140

Cable drum for industrial door with standard lift

Material: Aluminium

Max weight: 340 kg

Max cable diameter: 4 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 3800mm at 1/2 safety winding (3300mm at 2 safety windings)

Offset: 67mm

**Factory price:** 11.75 € excl. VAT / piece

**Weight:** 0.88 kg **Shipping class:** Standard



## CABLE DRUM M102-3760 SL LEFT

**ARTICLE:** 94828

Cable drum for industrial door with standard lift LEFT

Max weight: 340 kg

Max cable diameter: 4 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 3800mm at 1/2 safety winding (3300mm at 2 safety windings)

Offset: 67mm

**Factory price:** 5.30 € excl. VAT / piece

**Weight:** 0.419 kg **Shipping class:** Standard



## CABLE DRUM M102-3760 SL RIGHT

**ARTICLE:** 94830

Cable drum for industrial door with standard lift RIGHT

Material: Aluminium

Max weight: 340 kg

Max cable diameter: 4 mm


Shaft diameter : 25,4 mm (1 inch)

Max door height : 3800mm at 1/2 safety winding (3300mm at 2 safety windings)

Offset: 67mm

**Factory price:** 5.30 € excl. VAT / piece

**Weight:** 0.419 kg **Shipping class:** Standard




### CABLE DRUM M134-5500 SL

**ARTICLE:** 10020

Cable drum for industrial door with standard lift  
Material: Aluminium  
Max weight: 680 kg  
Max cable diameter: 5 mm  
Shaft diameter : 25,4 mm (1 inch)  
Max door height : 5500mm at 1/2 safety winding (4800mm at 2 safety windings)  
Offset: 86mm

**Factory price:** 17.85 € excl. VAT / piece  
**Weight:** 1.48 kg **Shipping class:** Standard




### CABLE DRUM M134-5500 SL RIGHT

**ARTICLE:** 95123

Cable drum for industrial door with standard lift  
Material: Aluminium  
Max weight: 680 kg  
Max cable diameter: 5 mm  
Shaft diameter : 25,4 mm (1 inch)  
Max door height : 5500mm at 1/2 safety winding (4800mm at 2 safety windings)  
Offset: 86mm

**Factory price:** 17.85 € excl. VAT / piece  
**Weight:** 0.74 kg **Shipping class:** Standard



### CABLE DRUM M134-5500 SL LEFT

**ARTICLE:** 95127

Cable drum for industrial door with standard lift  
Material: Aluminium  
Max weight: 680 kg  
Max cable diameter: 5 mm  
Shaft diameter : 25,4 mm (1 inch)  
Max door height : 5500mm at 1/2 safety winding (4800mm at 2 safety windings)  
Offset: 86mm

**Factory price:** 17.85 € excl. VAT / piece  
**Weight:** 0.74 kg **Shipping class:** Standard




### CABLE DRUM M203-9750 SL

**ARTICLE:** 10030

Cable drum for industrial door with standard lift  
Material: Aluminium  
Max weight: 1000 kg  
Max cable diameter: 6 mm  
Shaft diameter : 25,4 mm (1 inch)  
Max door height : 9600mm at 1/2 safety winding (8650mm at 2 safety windings)  
Offset: 127mm

**Factory price:** 132.52 € excl. VAT / piece  
**Weight:** 6.4 kg **Shipping class:** Standard



### CABLE DRUM M203-9750 SL

**ARTICLE:** 11030

Cable drum for industrial door with standard lift  
Material: Aluminium  
Max weight: 1000 kg  
Max cable diameter: 6 mm  
Shaft diameter : 31,75mm (1.25 cala)  
Max door height : 9600mm at 1/2 safety winding (8600mm at 2 safety windings)  
Offset: 127mm

**Factory price:** 208.38 € excl. VAT / piece  
**Weight:** 8 kg **Shipping class:** Standard

## VERTICAL LIFT



### VERTICAL LIFT DRUM M280-5500 LEFT

**ARTICLE:** 18287

cable drum for industrial door with vertical lift  
 material: aluminium  
 max weight: 518kg  
 max cable diameter: 5mm  
 shaft diameter: 25,4mm (1 inch)  
 max door height: 5559mm

**Factory price:** € excl. VAT / piece  
**Weight:** 1.512 kg **Shipping class:** Standard




### VERTICAL LIFT DRUM M280-5500 RIGHT

**ARTICLE:** 18288

cable drum for industrial door with vertical lift  
 material: aluminium  
 max weight: 518kg  
 max cable diameter: 5mm  
 shaft diameter: 25,4mm (1 inch)  
 max door height: 5559mm

**Factory price:** € excl. VAT / piece  
**Weight:** 1.512 kg **Shipping class:** Standard




### CABLE DRUM M216-3350 VL

**ARTICLE:** 10090

Cable drum for industrial door with vertical lift  
 Material: Aluminium  
 Max weight: 386 kg  
 Max cable diameter: 5 mm  
 Shaft diameter : 25,4mm (1 inch)  
 Max door height : 3290mm at 1/2 safety winding (2230mm at 2 safety windings)  
 Offset: 127mm

**Factory price:** 21.00 € excl. VAT / piece  
**Weight:** 1.6 kg **Shipping class:** Standard



### CABLE DRUM M216-3350 VL LEFT

**ARTICLE:** 18285

Cable drum for industrial door with vertical lift

Material: Aluminium

Max weight: 386 kg

Max cable diameter: 5 mm


Shaft diameter : 25,4mm (1 inch)

Max door height : 3290mm at 1/2 safety winding (2230mm at 2 safety windings)

Offset: 127mm

**Factory price:** 21.00 € excl. VAT / piece

**Weight:** 0.948 kg **Shipping class:** Standard



### CABLE DRUM M216-3350 VL RIGHT

**ARTICLE:** 18286

Cable drum for industrial door with vertical lift

Material: Aluminium

Max weight: 386 kg

Max cable diameter: 5 mm


Shaft diameter : 25,4mm (1 inch)

Max door height : 3290mm at 1/2 safety winding (2230mm at 2 safety windings)

Offset: 127mm

**Factory price:** 21.00 € excl. VAT / piece

**Weight:** 0.948 kg **Shipping class:** Standard



### CABLE DRUM M280-5500 VL

**ARTICLE:** 10100

Cable drum for industrial door with vertical lift

Material: Aluminium

Max weight: 518 kg

Max cable diameter: 5 mm


Shaft diameter : 25,4mm (1 inch)

Max door height : 5560mm at 1/2 safety winding (4460mm at 2 safety windings)

Offset: 152mm

**Factory price:** 0.00 € excl. VAT / piece

**Weight:** 3.39 kg **Shipping class:** Standard



### CABLE DRUM M343-8500 VL

**ARTICLE:** 10121

Cable drum for industrial door with vertical lift

Material: Aluminium

Max weight: 1000 kg

Max cable diameter: 6 mm


Shaft diameter : 25,4mm (1 inch)

Max door height : 8400mm at 1/2 safety winding (6930mm at 2 safety windings)

Offset: 190mm

**Factory price:** 294.16 € excl. VAT / piece

**Weight:** 8.66 kg **Shipping class:** Standard



### CABLE DRUM M343-8500 VL

**ARTICLE:** 11112

Cable drum for industrial door with vertical lift

Material: Aluminium

Max weight: 1000 kg

Max cable diameter: 6 mm

Shaft diameter : 31,75mm(1,25 inch)

Max door height : 8400mm at 1/2 safety winding (6930mm at 2 safety windings)

Offset: 190mm

**Factory price:** 294.16 € excl. VAT / piece

**Weight:** 8.42 kg **Shipping class:** Standard