

## VERTICAL ANGLES AND PROFILES 1,5MM THICK




### C-PROFILE 48,5X23,7X1,5MM, L=3000MM, PERFORATED

**ARTICLE:** 3000

C-PROFILE 48,5x23,7x1,5mm, L=3000mm, perforated  
Material: Galvanized steel 1.5mm  
Length: 3000mm

**Factory price:** 10.00 € excl. VAT / piece  
**Weight:** 3.6 kg **Shipping class:** Dłużyca




### ERSX C-PROFILE 40X20X22X1,5MM L=3065MM (2 PCS)

**ARTICLE:** 13053

material: galvanized steel  
dimensions: 40x20x22x1,5mm  
equipped with 212292

**Factory price:** € excl. VAT / piece  
**Weight:** 3.214 kg **Shipping class:** Standard




### ERSX C-PROFILE 40X20X22X1,5MM L=4065MM (2 PCS)

**ARTICLE:** 15184

material: galvanized steel  
dimensions: 40x20x22x1,5mm  
equipped with 212292

**Factory price:** € excl. VAT / piece  
**Weight:** 4.189 kg **Shipping class:** Standard




### C-PROFILE 40X20X1,5MM L=6000MM

**ARTICLE:** 6000

With slotted holes on both ends, 20x9mm.  
Suitable for Paro clamp plate 235201 & 235205.  
Application: Industrial ST & HL  
Material: Zinc-plated steel  
L=6000mm

**Factory price:** € excl. VAT / piece  
**Weight:** 6.15 kg **Shipping class:** Standard



## C-PROFILE 40X20X1.5 L=4000 MM

**ARTICLE:** 4000

With slotted holes on both ends, 20x9mm. Suitable for Paro clamp plate 235201 & 235205.


Application: Industrial ST & HL

Material: Zinc-plated steel

L=4000mm

**Factory price:** € excl. VAT / piece

**Weight:** 4.1 kg **Shipping class:** Standard



## C-PROFILE 40X20X1.5 L=5500 MM

**ARTICLE:** 5500

With slotted holes on both ends, 20x9mm. Suitable for Paro clamp plate 235201 & 235205.


Application: Industrial ST & HL

Material: Zinc-plated steel

L=5500mm

**Factory price:** € excl. VAT / piece

**Weight:** 5.63 kg **Shipping class:** Standard



## HOME DIAGONAL ALIGNMENT BRACKET

**ARTICLE:** 35022



Alignment profile designed for stability and a guaranteed corner of 90 degrees. This makes it easier to set it in place. Universal design for both left and right mounting.

Application: HOME-X & HOME-F

Material: Zinc plated steel

**Factory price:** € excl. VAT / piece

**Weight:** 0.19 kg **Shipping class:** Standard



## C-PROFILE 10X20X40X10 X1,5MM L=4000MM

**ARTICLE:** 4000


C-profile 10x20x40x10x1,5mm - not-perforated

Material: Galvanised steel 1,5mm

Length: 4000mm

**Factory price:** 11.38 € excl. VAT / piece

**Weight:** 3.900 kg **Shipping class:** Dłużyca




## SHORT CURVE R305

**ARTICLE:** 13014

Short curve R=305 for garage doors  
Material: Galvanised steel 1,5mm

**Factory price:** 11.85 € excl. VAT / piece  
**Weight:** 1.25 kg **Shipping class:** Standard




## C-PROFILE 9X20X40X9X ,5MM, L=2815MM PERFORATED

**ARTICLE:** 12722

C-profile 9x20x40x9x1,5mm -perforated  
Material: Galvanised steel 1,5mm  
Lenght: 2815mm

**Factory price:** 17.00 € excl. VAT / piece  
**Weight:** 2.74 kg **Shipping class:** Dłużyca




## C-PROFILE 53,0X28,5X1,5MM L=6000MM WITH PERFORATION

**ARTICLE:** 6000

C-profile 53,0 x 28,5 x 1,5 - perforated  
Material: galvanised steel 1,5mm  
Lenght: 6000mm

**Factory price:** 26.00 € excl. VAT / piece  
**Weight:** 8.4 kg **Shipping class:** Dłużyca




## C-PROFILE 10X20X40X10X1,5MM L=6000MM

**ARTICLE:** 6000

C-profile 10x20x40x10x1,5mm -not perforated  
Material: Galvanised steel 1,5mm  
Lenght: 6000mm

**Factory price:** 25.00 € excl. VAT / piece  
**Weight:** 5.82 kg **Shipping class:** Dłużyca



## C-PROFILE 10X20X40X10 X1,5MM L=4500MM

**ARTICLE:** 4500

C-profile 10x20x40x10x1,5mm -not-perforated  
Material: Galvanised steel 1,5mm  
Lenght: 4500mm

**Factory price:** 14.50 € excl. VAT / piece  
**Weight:** 4.8 kg **Shipping class:** Dłużyca